


ABCOR[®] FEG[™] PLUS MODULE: 5-HFM-251-PVI

Industrial Tubular Ultrafiltration One-Inch Modules

PRODUCT DESCRIPTION	KMS Part Number (KPN): Membrane Chemistry: Membrane Type: Membrane Area: Molecular Weight Cut-off: Housing Construction: Seal: Gasket: Interconnecting Component	S:	0711661 PVDF HFM (neutral) 1.1 ft ² (0.10 m ²) 100,000 Dalton (no CPVC CPVC Insert (Epox Viton [®] See Reverse	
RECOMMENDED OPERATING LIMITS ¹	Maximum Inlet Pressure: Minimum Outlet Pressure: Maximum Operating Temperature (at pH 8.0): Maximum Permeate Side Back Pressure: Maximum Feed Side Pressure Drop: Allowable pH – Continuous Exposure: Allowable pH – Short Term Exposure:		90 psi @ 140°F (6.2 bar @ 60°C) 5 psi (0.3 bar) 140°F (60°C) 5 psi (0.6 bar) 5 psi @ 140° F (0.3 bar @ 60°C) 2.0 – 10.0 @ 140°F (60°C) 1.5 – 10.5 @ 140°F (60°C)	
FEED FLOW VS. PRESSURE DROP	Circulation Flow gpm m ³ /hr 19 4.3 30 6.8 38 8.6	7.8 2 12.3 3	elocity F n/s .4 .7 .7	Pressure Drop psi bar 1.0 0.07 2.2 0.15 3.0 0.21


Koch Membrane Systems, Inc. must review operating and cleaning conditions for all new plants as well as changes to any existing plants. Data based on Water at 77° F and a specific gravity of 1.0. Circulation rates exhibit variances of 15%.

NOMINAL DIMENSIONS



ANCILLARY PARTS

KMS recommends that these membranes be used with KMS supplied ancillary parts. Sealing is provided by o-rings and gaskets. No additional sealing compound or tape is recommended for use on threaded connections.



Chemicals that should be avoided include the following:

- Aprotic Solvent (e.g., Dimethyl Formamide, Dimethyl Acetamide, N-Methyl Pyrolidine, etc.)
- Chlorinated Solvents (e.g., Methylene Chloride, Chloroform, Carbon Tetrachloride, etc.)
- Ketones (e.g., Acetone, Diacetone Alcohol, etc.)
- Silicones or Silicone based Defoamers (e.g., Siloxane)

The information contained in this publication is believed to be accurate and reliable, but is not to be construed as implying any warranty or guarantee of performance. We assume no responsibility, obligation or liability for results obtained or damages incurred through the application of the information contained herein. Refer to Standard Terms and Conditions of Sale and Performance Warranty documentation for additional information.

Koch Membrane Systems, Inc., www.kochmembrane.com

Corporate Headquarters: 850 Main Street, Wilmington, Massachusetts 01887-3388, USA, Tel. Toll Free: 1-888-677-5624, Telephone: 1-978-694-7000, Fax: 1-978-657-5208 European Headquarters: Koch Chemical Technology Group Ltd., The Granary, Telegraph Street, Stafford ST17 4AT, United Kingdom, Telephone: +44-178-527-2500, Fax: +44-178-522-3149

 San Diego, California • Aachen, Germany • Lyon, France • Madrid, Spain • Milan, Italy • Wijnegem, Belgium • Beljing & Shanghai, China • Mumbai, India • Melbourne, Australia • Singapore • Sao Paulo, Brazil • Manama, Kingdom of Bahrain •

> Viton[®] is a registered trademark of DuPont Dow Elastomers, LLC ABCOR[®] is a registered trademark of Koch Membrane Systems, Inc. Koch Membrane Systems, Inc. is a Koch Chemical Technology Group, LLC company. [©] 2008 Koch Membrane Systems, Inc. All rights reserved worldwide. 04/08